

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1103	low near pressure near lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:07
L2	439	invert\$3 and switch\$3 and transistor and half near bridge and (phase) and alternat\$3 near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L3	4	I1 and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:11
L4	6	invert\$3 and transistor and half near bridge and (phase near sett\$3) and alternat\$3 near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:24
L5	2508	315/291.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:24
L6	1675	315/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L7	1985	315/307.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:24
L8	1429	315/dig.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L9	1247	315/dig.7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L10	520	315/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25

L11	199	invert\$3 and switch\$3 and transistor and half near bridge and (phase) and alternat\$3 near current and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L12	161	l11 and @ad<="20020108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L13	47	l12 and l5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L14	55	l12 and l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L15	65	l12 and l7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L16	26	l12 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L17	52	l12 and l9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L18	9	l12 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1103	low near pressure near lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:55
L2	439	invert\$3 and switch\$3 and transistor and half near bridge and (phase) and alternat\$3 near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:12
L3	4	l1 and l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:11
L4	6	invert\$3 and transistor and half near bridge and (phase near sett\$3) and alternat\$3 near current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:24
L5	2508	315/291.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:24
L6	1675	315/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L7	1985	315/307.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:24
L8	1429	315/dig.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L9	1247	315/dig.7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L10	520	315/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25

L11	199	invert\$3 and switch\$3 and transistor and half near bridge and (phase) and alternat\$3 near current and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:25
L12	161	l11 and @ad<="20020108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:10
L13	47	l12 and l5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L14	55	l12 and l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L15	65	l12 and l7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L16	26	l12 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L17	52	l12 and l9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L18	9	l12 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 15:26
L19	156	invert\$3 and switch\$3 and transistor and half near bridge and (phase) and alternat\$3 near current and mosfet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:09
L20	86	invert\$3 and switch\$3 and transistor and half near bridge and (phase) same inverter\$3 and alternat\$3 near current and mosfet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:10

L21	57	I20 and @ad<="20020108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:11
L22	0	I21 and I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:11
L23	4	invert\$3 and transistor and half near bridge and (phase) and alternat\$3 near current and I1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:36
L24	2	invert\$3 and transistor and half near bridge and (phase) and alternat\$3 near current and I1 and mosfet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:37
L25	2	low near pressure near lamp and mosfet and transistor and I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:58
L26	7	low near pressure near lamp and mosfet and transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/12 18:59